

Author Index

- Aguera, M., see Didier-Bazes, M., 135
 Arbogast, L.A. and Voogt, J.L., Ontogeny of tyrosine hydroxylase mRNA signal levels in central dopaminergic neurons: development of a gender difference in the arcuate nuclei, 151
 Ashwell, K.W.S. and Waite, P.M.E., Cell death in the developing trigeminal nuclear complex of the rat, 291
 Baldessarini, R.J., see Teicher, M.H., 229
 Barish, M.E. and Mansdorf, N.B., Development of intracellular calcium responses to depolarization and to kainate and *N*-methyl-D-aspartate in cultured mouse hippocampal neurons, 53
 Barnabei, O., see Virgili, M., 281
 Baudry, M., see Najm, I., 287
 Bekenstein, J.W. and Lothman, E.W., A comparison of the ontogeny of excitatory and inhibitory neurotransmission in the CA1 region and dentate gyrus of the rat hippocampal formation, 237
 Bekenstein, J.W. and Lothman, E.W., An *in vivo* study of the ontogeny of long-term potentiation (LTP) in the CA1 region and in the dentate gyrus of the rat hippocampal formation, 245
 Belford, D.A., see Hill, C.E., 13
 Belin, M.F., see Didier-Bazes, M., 135
 Berman, N.E.J., Alterations of visual cortical connections in cats following early removal of retinal input, 163
 Bidmon, H.-J., Developmental changes in the presence of ecdysteroid receptors in the central nervous system of third instar larvae of *Sarcophaga bullata*, 121
 Billingsley, M.L., see Polli, J.W., 105
 Blasevich, M., see Petroni, A., 221
 Booth, R.G., see Teicher, M.H., 229
 Burnham, P., see Magal, E., 141
 Caruso, D., see Petroni, A., 221
 Chen, J.F. and Weiss, B., Ontogenetic expression of D₂ dopamine receptor mRNA in rat corpus striatum, 95
 Chouaf, L., see Didier-Bazes, M., 135
 Contestabile, A., see Virgili, M., 281
 Daikoku, S., see Okamura, Y., 21
 Didier-Bazes, M., Chouaf, L., Hardin, H., Aguera, M., Fèvre-Montange, M. and Belin, M.F., Developmental neuron-glia interaction: role of the serotonin innervation upon the onset of GABA uptake into the ependymocytes of the rat subcommissural organ, 135
 Dütting, D., see Schlosshauer, B., 181
 Eriksson, P., see Nordberg, A., 201
 Evans, H.K., see Teicher, M.H., 229
 Feirabend, H.K.P., see Wessels, W.J.T., 265
 Fèvre-Montange, M., see Didier-Bazes, M., 135
 Fox, C.A., Ross, L.R. and Jacobson, C.D., Ontogeny of cells containing estrogen receptor-like immunoreactivity in the Brazilian opossum brain, 209
 Fredriksson, A., see Nordberg, A., 201
 Friedman, W.J., Olson, L. and Persson, H., Temporal and spatial expression of NGF receptor mRNA during postnatal rat brain development analyzed by *in situ* hybridization, 43
 Galli, C., see Petroni, A., 221
 Gallitano, A.L., see Teicher, M.H., 229
 Gelbard, H.A., see Osborne, J.G., 63
 Godovac-Zimmermann, J., see Hill, C.E., 13
 Hansson, E., see Nilsson, M., 33
 Hardin, H., see Didier-Bazes, M., 135
 Hauser, K.F., see Osborne, J.G., 63
 Hendry, I.A., see Hill, C.E., 13
 Hertz, L., see Peng, L., 1
 Hill, C.E., Belford, D.A., Godovac-Zimmermann, J. and Hendry, I.A., Class I heparin binding growth factor promotes the differentiation but not the survival of ciliary neurones *in vivo*, 13
 Jacobson, C.D., see Fox, C.A., 209
 Juurlink, B.H.J., see Peng, L., 1
 Kawano, H., see Okamura, Y., 21
 Kim, G., see Oh, L.J., 191
 Kincaid, R.L., see Polli, J.W., 105
 Kindy, M.S., see Osborne, J.G., 63
 Kuo, C.-H., see Negishi, K., 71
 Lothman, E.W., see Bekenstein, J.W., 237, 245
 Lynch, G., see Najm, I., 287
 Magal, E., Burnham, P. and Varon, S., Effects of ciliary neurotrophic factor on rat spinal cord neurons *in vitro*: survival and expression of choline acetyltransferase and low-affinity nerve growth factor receptors, 141
 Mansdorf, N.B., see Barish, M.E., 53
 Marani, E., see Wessels, W.J.T., 265
 Marsh, E.R., see Teicher, M.H., 229
 Morrison-Bogorad, M., see Willcutts, M.D., 253
 Najm, I., Vanderklish, P., Lynch, G. and Baudry, M., Effect of treatment with difluoromethylornithine on polyamine and spectrin breakdown levels in neonatal rat brain, 287
 Negishi, K., Sugawara, K., Shinagawa, S., Teranishi, T., Kuo, C.-H. and Takasaki, Y., Induction of immunoreactive proliferating cell nuclear antigen (PCNA) in goldfish retina following intravitreal injection with tunicamycin, 71
 Nilsson, M., Hansson, E. and Rönnbäck, L., Adrenergic and 5-HT₂ receptors on the same astroglial cell. A microspectrofluorimetric study on cytosolic Ca²⁺ responses in single cells in primary culture, 33
 Nordberg, A., Zhang, X., Fredriksson, A. and Eriksson, P., Neonatal nicotine exposure induces permanent changes in brain nicotinic receptors and behaviour in adult mice, 201
 Oh, L.J., Kim, G., Yu, J. and Robertson, R.T., Transneuronal degeneration of thalamic neurons following deafferentation: quantitative studies using [³H]thymidine autoradiography, 191
 Okamura, Y., Kawano, H. and Daikoku, S., Spatial-temporal appearance of developing immunoreactive TRH neurons in the neuroepithelial wall of the diencephalon, 21
 Olson, L., see Friedman, W.J., 43
 Osborne, J.G., Kindy, M.S. and Hauser, K.F., Expression of proenkephalin mRNA in developing cerebellar cortex of the rat: expression levels coincide with maturational gradients in Purkinje cells, 63
 Peng, L., Juurlink, B.H.J. and Hertz, L., Differences in transmitter release, morphology, and ischemia-induced cell injury between cerebellar granule cell cultures developing in the presence and in the absence of a depolarizing potassium concentration, 1
 Persson, H., see Friedman, W.J., 43
 Petroni, A., Blasevich, M., Visioli, F., Zancocchia, B., Caruso, D. and Galli, C., Arachidonic acid cyclooxygenase and lipoxygenase pathways are differently activated by platelet activating factor and the calcium-ionophore A23187 in a primary culture of astroglial cells, 221
 Polli, J.W., Billingsley, M.L. and Kincaid, R.L., Expression of the calmodulin-dependent protein phosphatase, calcineurin, in rat brain: developmental patterns and the role of nigrostriatal innervation, 105
 Robertsen, R.T., see Oh, L.J., 191
 Rönnbäck, L., see Nilsson, M., 33
 Ross, L.R., see Fox, C.A., 209
 Schlosshauer, B. and Dütting, D., Intraretinal pathfinding of ganglion cell axons is perturbed by a monoclonal antibody specific for a G4Ng-CAM-like cell adhesion molecule, 181
 Seidler, F.J., see Smith IV, W.T., 85

- Shinagawa, S., see Negishi, K., 71
Slotkin, T.A., see Smith IV, W.T., 85
Smith IV, W.T., Seidler, F.J. and Slotkin, T.A., Acute stimulation of ornithine decarboxylase in neonatal rat brain regions by nicotine: a central receptor-mediated process?, 85
Sugawara, K., see Negishi, K., 71
Takasaki, Y., see Negishi, K., 71
Teicher, M.H., Gallitano, A.L., Gelbard, H.A., Evans, H.K., Marsh, E.R., Booth, R.G. and Baldessarini, R.J., Dopamine D₁ autoreceptor function: possible expression in developing rat prefrontal cortex and striatum, 229
Teranishi, T., see Negishi, K., 71
Vanderklish, P., see Najm, I., 287
Varon, S., see Magal, E., 141
Virgili, M., Contestabile, A. and Barnabei, O., Postnatal maturation of cholinergic markers in forebrain regions of C57BL/6 mice, 281
Visioli, F., see Petroni, A., 221
Voogt, J.L., see Arbogast, L.A., 151
Waite, P.M.E., see Ashwell, K.W.S., 291
Weiss, B., see Chen, J.F., 95
Wessels, W.J.T., Feirabend, H.K.P. and Marani, E., Development of projections of primary afferent fibers from the hindlimb to the gracile nucleus: a WGA-HRP study in the rat, 265
Willcutts, M.D. and Morrison-Bogorad, M., Quantitative in situ hybridization analysis of glutamic acid decarboxylase messenger RNA in developing rat cerebellum, 253
Yu, L., see Oh, J.L., 191
Zancocchia, B., see Petroni, A., 221
Zhang, X., see Nordberg, A., 201

